Computer Methods in Applied Mechanics and Engineering 106 (1993) 431–432
North-Holland

Author index of Volume 106*

Ali, F., see Kassar, M.A. (3) 395–405
Ariel, P.D., A numerical experiment in the simulation of MHD flow of a power law fluid through a duct (3) 367–380

Bermúdez, A., M.C. Muñiz and P. Quintela, Numerical solution of a three-dimensional thermoelectric problem taking place in an aluminium electrolytic cell (1–2) 129–142
Bernadou, M. and J.-M. Boisserie, Curved finite elements of class C^1: Implementation and numerical experiments. Part 1: Construction and numerical tests of the interpolation properties (1–2) 229–269
Boisserie, J.-M., see Bernadou, M. (1–2) 229–269

Cai, Y., see Navon, I.M. (1–2) 179–212
Chang, R.R., see Kam, T.Y. (1–2) 65– 81

De Sampaio, P.A.B., P.R.M. Lyra, K. Morgan and N.P. Weatherill, Petrov–Galerkin solutions of the incompressible Navier–Stokes equations in primitive variables with adaptive remeshing (1–2) 143–178

Enomoto, K., see Tanaka, K. (1–2) 271–284

Gorinevsky, D.M., Galerkin approximation in modeling of controlled distributed-parameter flexible systems (1–2) 107–128

Heinrichs, W., Spectral multigrid techniques for the Navier–Stokes equations (3) 297–314

Kam, T.Y. and R.R. Chang, Design of laminated composite plates for maximum buckling load and vibration frequency (1–2) 65– 81
Kassar, M.A. and F. Ali, The stiff conservation laws and the MacCormack difference scheme (3) 395–405

Labrosse, G., Compatibility conditions for the Stokes system discretized in 2-D Cartesian domains (3) 353–365
Lee, C.Y. and J.T. Oden, Theory and approximation of quasistatic frictional contact problems (3) 407–429
Lyra, P.R.M., see De Sampaio, P.A.B. (1–2) 143–178

* The issue number is given in front of the page numbers.

Marchant, M.J. and N.P. Weatherill, Adaptivity techniques for compressible inviscid flows (1–2) 83–106
Mlejnek, H.P. and R. Schirrmacher, An engineer's approach to optimal material distribution and shape finding (1–2) 1– 26
Morgan, K., see De Sampaio, P.A.B. (1–2) 143–178
Muñiz, M.C., see Bermúdez, A. (1–2) 129–142

Navon, I.M. and Y. Cai, Domain decomposition and parallel processing of a finite element model of the shallow water equations (1–2) 179–212

Oden, J.T., see Lee, C.Y. (3) 407–429
Okabe, M., Full-explicit interpolation formulas for the Argyris triangle (3) 381–394

Panagiotopoulos, P.D., see Theocaris, P.S. (1–2) 213–228
Pegon, P., see Soria, A. (1–2) 27– 50
Poterasu, V.F., see Tanaka, K. (1–2) 271–284
Poterasu, V.F., Coupled vibrations of a cavity filled with a pulsating fluid in elastic infinite media by the boundary element method (1–2) 285–296

Quintela, P., see Bermúdez, A. (1–2) 129–142

Schirrmacher, R., see Mlejnek, H.P. (1–2) 1– 26
Schrefler, B.A., see Turska, E. (1–2) 51– 63
Soria, A. and P. Pegon, An arc length control procedure to solve parabolic problems (1–2) 27– 50
Sugano, Y., see Tanaka, K. (1–2) 271–284

Tanaka, K., Y. Tanaka, K. Enomoto, V.F. Poterasu and Y. Sugano, Design of thermoelastic materials using direct sensitivity and optimization methods. Reduction of thermal stresses in functionally gradient materials (1–2) 271–284
Tanaka, Y., see Tanaka, K. (1–2) 271–284
Theocaris, P.S. and P.D. Panagiotopoulos, Neural networks for computing in fracture mechanics. Methods and prospects of applications (1–2) 213–228
Turska, E. and B.A. Schrefler, On convergence conditions of partitioned solution procedures for consolidation problems (1–2) 51– 63

Van Keulen, F., A geometrically nonlinear curved shell element with constant stress resultants (3) 315–352

Weatherill, N.P., see Marchant, M.J. (1–2) 83–106
Weatherill, N.P., see De Sampaio, P.A.B. (1–2) 143–178

Computer Methods in Applied Mechanics and Engineering 106 (1993) 433–439
North-Holland

Subject index of Volume 106*

Boundary element methods

Coupled vibrations of a cavity filled with a pulsating fluid in elastic infinite media by the boundary element method, V.F. Poterasu (1–2) 285–296

Boundary layers

Adaptivity techniques for compressible inviscid flows, M.J. Marchant and N.P. Weatherill (1–2) 83–106
A numerical experiment in the simulation of MHD flow of a power law fluid through a duct, P.D. Ariel (3) 367–380

Collocation method

Spectral multigrid techniques for the Navier–Stokes equations, W. Heinrichs (3) 297–314
Compatibility conditions for the Stokes system discretized in 2-D Cartesian domains, G. Labrosse (3) 353–365

Control theory

Galerkin approximation in modeling of controlled distributed-parameter flexible systems, D.M. Gorinevsky (1–2) 107–128

Coupled problems

On convergence conditions of partitioned solution procedures for consolidation problems, E. Turska and B.A. Schrefler (1–2) 51– 63
Numerical solution of a three-dimensional thermoelectric problem taking place in an aluminium electrolytic cell, A. Bermúdez, M.C. Muñiz and P. Quintela (1–2) 129–142

Elasticity

Design of thermoelastic materials using direct sensitivity and optimization methods. Reduction of thermal stresses in functionally gradient materials, K. Tanaka, Y. Tanaka, K. Enomoto, V.F. Poterasu and Y. Sugano (1–2) 271–284

* The issue number is given in front of the page numbers.

Coupled vibrations of a cavity filled with a pulsating fluid in elastic infinite media by the boundary element method, V.F. Poterasu (1–2) 285–296
Theory and approximation of quasistatic frictional contact problems, C.Y. Lee and J.T. Oden (3) 407–429

Finite difference methods

Adaptivity techniques for compressible inviscid flows, M.J. Marchant and N.P. Weatherill (1–2) 83–106
Compatibility conditions for the Stokes system discretized in 2-D Cartesian domains, G. Labrosse (3) 353–365
A numerical experiment in the simulation of MHD flow of a power law fluid through a duct, P.D. Ariel (3) 367–380
The stiff conservation laws and the MacCormack difference scheme, M.A. Kassar and F. Ali (3) 395–405

Finite element and matrix methods

An arc length control procedure to solve parabolic problems, A. Soria and P. Pegon (1–2) 27– 50
On convergence conditions of partitioned solution procedures for consolidation problems, E. Turska and B.A. Schrefler (1–2) 51– 63
Design of laminated composite plates for maximum buckling load and vibration frequency, T.Y. Kam and R.R. Chang (1–2) 65– 81
Adaptivity techniques for compressible inviscid flows, M.J. Marchant and N.P. Weatherill (1–2) 83–106
Petrov–Galerkin solutions of the incompressible Navier–Stokes equations in primitive variables with adaptive remeshing, P.A.B. de Sampaio, P.R.M. Lyra, K. Morgan and N.P. Weatherill (1–2) 143–178
Domain decomposition and parallel processing of a finite element model of the shallow water equations, I.M. Navon and Y. Cai (1–2) 179–212
Curved finite elements of class C^1: Implementation and numerical experiments. Part 1: Construction and numerical tests of the interpolation properties, M. Bernadou and J.-M. Boisserie (1–2) 229–269
Design of thermoelastic materials using direct sensitivity and optimization methods. Reduction of thermal stresses in functionally gradient materials, K. Tanaka, Y. Tanaka, K. Enomoto, V.F. Poterasu and Y. Sugano (1–2) 271–284
A geometrically nonlinear curved shell element with constant stress resultants, F. van Keulen (3) 315–352
Full-explicit interpolation formulas for the Argyris triangle, M. Okabe (3) 381–394
Theory and approximation of quasistatic frictional contact problems, C.Y. Lee and J.T. Oden (3) 407–429

Fluid mechanics

Adaptivity techniques for compressible inviscid flows, M.J. Marchant and N.P. Weatherill (1–2) 83–106
Petrov–Galerkin solutions of the incompressible Navier–Stokes equations in primitive variables with adaptive remeshing, P.A.B. de Sampaio, P.R.M. Lyra, K. Morgan and N.P. Weatherill (1–2) 143–178
Coupled vibrations of a cavity filled with a pulsating fluid in elastic infinite media by the boundary element method, V.F. Poterasu (1–2) 285–296
Compatibility conditions for the Stokes system discretized in 2-D Cartesian domains, G. Labrosse (3) 353–365
A numerical experiment in the simulation of MHD flow of a power law fluid through a duct, P.D. Ariel (3) 367–380
The stiff conservation laws and the MacCormack difference scheme, M.A. Kassar and F. Ali (3) 395–405

Fracture mechanics

Neural networks for computing in fracture mechanics. Methods and prospects of applications, P.S. Theocaris and P.D. Panagiotopoulos (1–2) 213–228

Gas dynamics

Adaptivity techniques for compressible inviscid flows, M.J. Marchant and N.P. Weatherill (1–2) 83–106
The stiff conservation laws and the MacCormack difference scheme, M.A. Kassar and F. Ali (3) 395–405

General Rayleigh–Ritz and Galerkin techniques

Adaptivity techniques for compressible inviscid flows, M.J. Marchant and N.P. Weatherill (1–2) 83–106
Galerkin approximation in modeling of controlled distributed-parameter flexible systems, D.M. Gorinevsky (1–2) 107–128
Petrov–Galerkin solutions of the incompressible Navier–Stokes equations in primitive variables with adaptive remeshing, P.A.B. de Sampaio, P.R.M. Lyra, K. Morgan and N.P. Weatherill (1–2) 143–178

Heat and diffusion

An arc length control procedure to solve parabolic problems, A. Soria and P. Pegon (1–2) 27– 50
Numerical solution of a three-dimensional thermoelectric problem taking place in an aluminium electrolytic cell, A. Bermúdez, M.C. Muñiz and P. Quintela (1–2) 129–142

Incompressible and near incompressible media

Petrov–Galerkin solutions of the incompressible Navier–Stokes equations in primitive variables with adaptive remeshing, P.A.B. de Sampaio, P.R.M. Lyra, K. Morgan and N.P. Weatherill (1–2) 143–178
Compatibility conditions for the Stokes system discretized in 2-D Cartesian domains, G. Labrosse (3) 353–365

Matrix calculus

Coupled vibrations of a cavity filled with a pulsating fluid in elastic infinite media by the boundary element method, V.F. Poterasu (1–2) 285–296

Miscellaneous topics

Full-explicit interpolation formulas for the Argyris triangle, M. Okabe (3) 381–394

Modern computor architecture

Domain decomposition and parallel processing of a finite element model of the shallow water equations, I.M. Navon and Y. Cai (1–2) 179–212

Nonlinear dynamics of systems

Neural networks for computing in fracture mechanics. Methods and prospects of applications, P.S. Theocaris and P.D. Panagiotopoulos (1–2) 213–228

Nonlinear mechanics

A geometrically nonlinear curved shell element with constant stress resultants, F. van Keulen (3) 315–352
A numerical experiment in the simulation of MHD flow of a power law fluid through a duct, P.D. Ariel (3) 367–380
Theory and approximation of quasistatic frictional contact problems, C.Y. Lee and J.T. Oden (3) 407–429

Numerical solution procedures

An arc length control procedure to solve parabolic problems, A. Soria and P. Pegon (1–2) 27– 50
On convergence conditions of partitioned solution procedures for consolidation problems, E. Turska and B.A. Schrefler (1–2) 51– 63
Numerical solution of a three-dimensional thermoelectric problem taking place in an aluminium electrolytic cell, A. Bermúdez, M.C. Muñiz and P. Quintela (1–2) 129–142

Domain decomposition and parallel processing of a finite element model of the shallow water equations, I.M. Navon and Y. Cai (1–2) 179–212
Spectral multigrid techniques for the Navier–Stokes equations, W. Heinrichs (3) 297–314
A numerical experiment in the simulation of MHD flow of a power law fluid through a duct, P.D. Ariel (3) 367–380
The stiff conservation laws and the MacCormack difference scheme, M.A. Kassar and F. Ali (3) 395–405

Optimization

Design of laminated composite plates for maximum buckling load and vibration frequency, T.Y. Kam and R.R. Chang (1–2) 65– 81
Design of thermoelastic materials using direct sensitivity and optimization methods. Reduction of thermal stresses in functionally gradient materials, K. Tanaka, Y. Tanaka, K. Enomoto, V.F. Poterasu and Y. Sugano (1–2) 271–284

Optimization and design of structures

An engineer's approach to optimal material distribution and shape finding, H.P. Mlejnek and R. Schirrmacher (1–2) 1– 26
Design of laminated composite plates for maximum buckling load and vibration frequency, T.Y. Kam and R.R. Chang (1–2) 65– 81

Shells and plates

Design of laminated composite plates for maximum buckling load and vibration frequency, T.Y. Kam and R.R. Chang (1–2) 65– 81
Curved finite elements of class C^1: Implementation and numerical experiments. Part 1: Construction and numerical tests of the interpolation properties, M. Bernadou and J.-M. Boisserie (1–2) 229–269
A geometrically nonlinear curved shell element with constant stress resultants, F. van Keulen (3) 315–352

Solution of differential equations

Spectral multigrid techniques for the Navier–Stokes equations, W. Heinrichs (3) 297–314
A numerical experiment in the simulation of MHD flow of a power law fluid through a duct, P.D. Ariel (3) 367–380

Solutions of ordinary and partial differential equations

Galerkin approximation in modeling of controlled distributed-parameter flexible systems, D.M. Gorinevsky (1–2) 107–128
Spectral multigrid techniques for the Navier–Stokes equations, W. Heinrichs (3) 297–314

Spline approximation

Curved finite elements of class C^1: Implementation and numerical experiments. Part 1: Construction and numerical tests of the interpolation properties, M. Bernadou and J.-M. Boisserie (1–2) 229–269

Stability in structural mechanics

Design of laminated composite plates for maximum buckling load and vibration frequency, T.Y. Kam and R.R. Chang (1–2) 65– 81

Subsonic flow

Adaptivity techniques for compressible inviscid flows, M.J. Marchant and N.P. Weatherill (1–2) 83–106

Supersonic flow

Adaptivity techniques for compressible inviscid flows, M.J. Marchant and N.P. Weatherill (1–2) 83–106
The stiff conservation laws and the MacCormack difference scheme, M.A. Kassar and F. Ali (3) 395–405

Systems of linear and nonlinear simultaneous equations

An arc length control procedure to solve parabolic problems, A. Soria and P. Pegon (1–2) 27– 50
On convergence conditions of partitioned solution procedures for consolidation problems, E. Turska and B.A. Schrefler (1–2) 51– 63
Numerical solution of a three-dimensional thermoelectric problem taking place in an aluminium electrolytic cell, A. Bermúdez, M.C. Muñiz and P. Quintela (1–2) 129–142
Compatibility conditions for the Stokes system discretized in 2-D Cartesian domains, G. Labrosse (3) 353–365

Thermal effects and thermodynamics

Design of thermoelastic materials using direct sensitivity and optimization methods. Reduction of thermal stresses in functionally gradient materials, K. Tanaka, Y. Tanaka, K. Enomoto, V.F. Poterasu and Y. Sugano (1–2) 271–284

Transonic flow

Adaptivity techniques for compressible inviscid flows, M.J. Marchant and N.P. Weatherill (1–2) 83–106

Transport phenomena

The stiff conservation laws and the MacCormack difference scheme, M.A. Kassar and F. Ali (3) 395–405

Turbulence

Adaptivity techniques for compressible inviscid flows, M.J. Marchant and N.P. Weatherill (1–2) 83–106

Viscoelastic and viscoplastic media

Galerkin approximation in modeling of controlled distributed-parameter flexible systems, D.M. Gorinevsky (1–2) 107–128

A numerical experiment in the simulation of MHD flow of a power law fluid through a duct, P.D. Ariel (3) 367–380

Viscous flow

Adaptivity techniques for compressible inviscid flows, M.J. Marchant and N.P. Weatherill (1–2) 83–106

Petrov–Galerkin solutions of the incompressible Navier–Stokes equations in primitive variables with adaptive remeshing, P.A.B. de Sampaio, P.R.M. Lyra, K. Morgan and N.P. Weatherill (1–2) 143–178

Compatibility conditions for the Stokes system discretized in 2-D Cartesian domains, G. Labrosse (3) 353–365

Wave motion

The stiff conservation laws and the MacCormack difference scheme, M.A. Kassar and F. Ali (3) 395–405